







For use with all Winegard ConnecT products

powerd by

winegard.com/support

REV1 6/20 WR-58

Intro

Locating the IMEI number is necessary when you want to use a third party sim card in the system. The IMEI number is located in three different places. In the system configuration menus, on the front of the product manual, or on the bottom of the unit itself. If you go through the software to locate the information you will first need to connect to the Winegard wireless network.

 Model WF2-435 Outdoor FCC ID C3DWF4000 Contains FCC ID N7NHL7588	1
Serial No: 00:17:1A:D2:95:BF	1
Password: WG1341FD SSID: Winegard2ghzD295BF	
 IMEI: 014284000949382	
IC: 22428-WF4000 HVIN: WF4035 ~~	`

Winegard App Instructions on page 2





Web Browser Instructions on page 4



W WINEGARD

Winegard App



≡			Mu.
	ConnecT 2.0		

1. Open the Winegard app and select the add device button.

2. If prompted enter your admin password, the default password is admin. Now select the listed device.



Winegard2ghzD29DFF Model # WF2-90B,WF2-95B Serial # WGC00171AD29DFF Mac Address 00:17:1A:D2:9D:FF Software Version WGEX-20190805-final #146 Tue Nov 12 15:23:53 CST 2019 **Bootloader Version** WGEX-BOOT-20170711 (Jul 11 2017 - 09:15:06) Carrier WINEGARD Sim (ICCID) 89011703278148770731 Sim (IMSI) 310170814877073 Modem (IMEI) 014284000086227 Firmware RHL75xx.A.2.15.151600.201809201422.x7160_3

3. On the device page select the Settings option.

4. The IMEI number will be listed towards the bottom of the About page



Web Browser

10.11.12.1/cgi-bin/luci/themes/winegard2/inde> 🕲 🗄	
Default password set!	
Please change the password on this router. This message will	
persist until changed.	
Login to winegard2gn2D295BF	
USERNAME	
admin	
PASSWORD	
CONTINUE	
RESET	
Copyright $\ensuremath{\mathbb{S}}$ 2019 Winegard Co. All rights reserved.	
INTERNET STATUS	
Connected to WiFi "Winegard"	
Connected through "Winegard2ghzD295BF"	
WIFI SIGNAL	
100%	
4G/LTE SIGNAL	
No signal until connected	
4G/LIE	
No Internet	
SELECT	
SCAN FOR WIFI FORGET WIFI	
SCAN FOR WIFI FORGET WIFI SAVED WIFI DATA PLAN	
SCAN FOR WIFI FORGET WIFI SAVED WIFI DATA PLAN	
SCAN FOR WIFI SAVED WIFI DATA PLAN 2.4 GHz LOCAL NETWORK	
SCAN FOR WIFI FORGET WIFI SAVED WIFI DATA PLAN 2.4 GHz LOCAL NETWORK Winegard2ghzD295BF	
SCAN FOR WIFI FORGET WIFI SAVED WIFI DATA PLAN 2.4 GHz LOCAL NETWORK Winegard2ghzD295BF	

1. Start by opening your web browser and navigation to 10.11.12.1, then login with your admin password. The default password is admin.

2. Click the Navigate to Page drop down menu.

SELECT PAGE 🔹

SELECT PAGE	۲
Local Network Settings	0
Advanced Settings	0
Saved WiFi Networks	0
Data Plan	0
Change Provider	0
Network Activity	0
Update Software	0
Support	0
About	0

WGEX-BOTH-20190805 (Tue Nov 12 21:24:09 2019)	
BOOTLOADER VERSION	
WGEX-BOOT-20170711 (Jul 11 2017 - 09:15:06)	
SERIAL #	
WGC00171AD29DFF	
MAC ADDRESS	
00:17:1A:D2:9D:FF	
IP ADDRESS	
10.11.12.1	
GATEWAY IP ADDRESS	
10.1.10.18	
DOMAIN NAME SERVER	
10.1.10.247 10.1.10.248 205.171.2.65	
SUBNET MASK	
255.255.0.0	
4G/LTE Modem	
PROVIDER	
Winegard ConnecT Data Plan	
SIM (ICCID)	
89011703278148770731	
SIM (IMSI)	
310170814877073	
MODEM (IMEI)	
014284000086227	

3. Select Software Update from the list of available options.

 $\ensuremath{\text{4.The IMEI}}$ number will be listed under the $\ensuremath{\text{4G/LTE}}$ Modem section.

